

1982

Some Comments On The Erdos-Renyl Law And A Theorem Of Shepp

James Lynch

University of South Carolina - Columbia, lynch@stat.sc.edu

Follow this and additional works at: https://scholarcommons.sc.edu/stat_facpub

 Part of the [Statistics and Probability Commons](#)

Publication Info

Published in *The Annals of Probability*, Volume 11, Issue 3, 1982, pages 801-802.

© The Annals of Probability 1982, Institute of Mathematical Statistics

Lynch, J. (1983). Some Comments on the Erdos-Renyi Law and a Theorem of Shepp. *The Annals of Probability*, 11(3), 801-802.

https://projecteuclid.org/download/pdf_1/euclid.aop/1176993526

This Article is brought to you for free and open access by the Statistics, Department of at Scholar Commons. It has been accepted for inclusion in Faculty Publications by an authorized administrator of Scholar Commons. For more information, please contact dillarda@mailbox.sc.edu.

SOME COMMENTS ON THE ERDŐS-RÉNYI LAW AND A THEOREM OF SHEPP

BY JAMES LYNCH

University of South Carolina and Pennsylvania State University

We show that the finiteness of the moment generating function is necessary for the finiteness of the lim sup of the moving averages considered by Shepp (1964). This also implies that the same must be true for the Erdős-Rényi law of large numbers.

1. Introduction. Recently, there was a comment attributed to me concerning the Erdős-Rényi (E-R), 1970, law of large numbers (see Csörgő and Steinebach, 1981). The gist of the comment was that the E-R law had been anticipated by Shepp in a 1964 paper which seems to have been overlooked by those working on E-R type laws. In particular, the E-R law deals with limits of maximums of certain types of partial sums of i.i.d. random variables while a specialization of Shepp's results deals with the lim sup of a subsequence of these partial sums. In both cases the limits are the same.

Here, we elaborate further on the relationship of the E-R law and Shepp's result. We show that, if the moment generating function (m.g.f.) of the underlying random variables is not finite for some $t > 0$, then the limit in Shepp's Theorem is infinity. Consequently, the same is true for the E-R law. This latter result had been proved by Steinebach (1978) using Erdős and Rényi's technique of proof of their law.

2. The result. The notation in this section is, for the most part, consistent with Csörgő and Steinebach (1981).

Let X_1, X_2, \dots be i.i.d. random variables. To avoid trivialities, we assume that they are not degenerate. Let $\phi(t)$ denote the m.g.f. of X_1 and let $\rho(\alpha) = \inf_{t \geq 0} \phi(t) e^{-\alpha t}$. Let $f(n)$ be a nondecreasing function which takes the positive integers into themselves. Let $S_n = X_1 + \dots + X_n$ and $T_n = (S_{n+f(n)} - S_n)/f(n)$. Then, from Chernoff's Theorem (see Bahadur, 1971),

$$(1) \quad n^{-1} \log P(S_n \geq n\alpha) \rightarrow \log \rho(\alpha).$$

Let $\mathcal{A} = \text{ess sup } X_1$ and let r denote the radius of convergence of the power series $\sum x^{f(n)}$. Then, the statement of Shepp's Theorem is that, if $\phi(t) < \infty$ for some $t > 0$,

$$(2) \quad \limsup T_n = \alpha_r < \infty,$$

where $\alpha_r = \mathcal{A}$ if $r < \rho(\mathcal{A})$ and α_r is the unique solution of $\rho(\alpha) = r$ if $r \geq \rho(\mathcal{A})$. Note that $\rho(\mathcal{A}) = 0$ if $\mathcal{A} = \infty$.

The following theorem shows the necessity of the finiteness of ϕ for (2) to hold.

THEOREM 1. *If $\phi(t) = \infty$ for all $t > 0$, then $\limsup T_n = \infty$ for all subsequences $\{f(n)\}$ for which $r < 1$.*

PROOF. If $\phi(t) = \infty$ for all $t > 0$, then $\rho(\alpha) = 1$ for $\alpha > 0$. Thus, for $r < r' < r'' < 1$, it follows from (1) that

$$(3) \quad P(S_{f(n)} \geq f(n)\alpha) \geq (r'')^{f(n)} \quad \text{for all sufficiently large } n.$$

Since $r' > r$, $\sum (r')^{f(n)} = \infty$. So, by Lemma 3.1 of Shepp (1964), there exists a subsequence $n_1 < n_2 < \dots$ with $n_{k+1} = n_k + f(n_k)$ for which $\sum_{k=1}^{\infty} (r'')^{f(n_k)} = \infty$. Since $P(T_{n_k} \geq \alpha) =$

Received March 1982; revised April 1982.

AMS 1980 subject classification. Primary 60F15; secondary 60F10.

Key words and phrases. Strong laws, moving averages, large deviations.

$P(S_{f(n_k)} \geq f(n_k)\alpha)$, it follows from this and (3) that $\sum P(T_{n_k} \geq \alpha) = \infty$. Thus, by the Borel-Cantelli lemma, $P(T_{n_k} \geq \alpha \text{ i.o.}) = 1$ since the events $\{T_{n_k} \geq \alpha\}$, $k = 1, 2, \dots$, are independent. So, $\limsup T_{n_k} \geq \alpha$ a.s., which implies that $\limsup T_n = \infty$ since α is arbitrary. This proves the theorem. \square

REMARK. Let $f(n) = [c \log n]$ where $c > 0$ and $[\]$ denotes the integer part of a number. Since $T_n \leq \max_{k \leq n-f(n)} (S_{k+f(n)} - S_k) / f(n) = D_n$, then by Theorem 1, $\limsup D_n = \infty$ if $\phi(t) = \infty$ for all $t > 0$. This shows that $\phi(t) < \infty$ for some $t > 0$ is necessary for the E-R law.

As pointed out by the referee, the results in Section 4 of Csörgő and Steinebach (1981) can be viewed as refinements of Shepp's (1964) work.

Acknowledgments. This paper was written while the author was a visiting Associate Professor in the Department of Mathematics and Statistics at the University of South Carolina. The author wishes to thank the department for providing a pleasant environment in which to work and for providing a typist for this paper.

REFERENCES

- [1] BAHADUR, R. R. (1971). *Some Limit Theorems in Statistics*. SIAM, Philadelphia.
- [2] CSÖRGŐ, M. and STEINEBACH, J. (1981). Improved Erdős-Rényi and strong approximation laws for increments of partial sums. *Ann. Probability* **9** 988-996.
- [3] ERDŐS, P. and RÉNYI, A. (1970). On a new law of large numbers. *J. Analyse Math.* **23** 103-111.
- [4] SHEPP, L. (1964). A limit law concerning moving averages. *Ann. Math. Statist.* **35** 424-428.
- [5] STEINEBACH, J. (1978). On a necessary condition for the Erdős-Rényi law of large numbers. *Proc. Amer. Math. Soc.* **68** 97-100.

DEPARTMENT OF STATISTICS
 PENN STATE UNIVERSITY
 UNIVERSITY PARK, PENNSYLVANIA 11802